
# Ogi M technical specification



**.**mdd

# .mdd has a leading position among manufacturers of office furniture with many awards that prove quality and continuously increase demand for it's products.

The realities of today's market require constant quality improvement at all levels of modern organization. This applies in particular to customer service, marketing, quality of products and also to quality of processes within the company. Partnership relations among employees and with business partners form a base of economic growth and success of the company.

Constant investments in innovative machinery park, optimization of managment systems and an expansion of production halls allow to minimize the lead times for the product of the highest quality.

More than twenty years of experience in office furniture industry come with reference from a long list of companies and institutions to show their appreciation for an efficient and comprehensive service. .mdd is higly aware of the environment.

Being located in the forest region with lake by its side, .mdd takes the nature seriously and invests constantly in a modern and energy-efficient solutions to preserve the local life. Company puts emphasis on waste segregation and recycling. .mdd has been awarded for the exceptional care and involvement in waste disposal. All materials used are environmentally friendly and enjoy a high 95 % rate of being recycled.













#### **General informations:**

## Warranty:

.mdd products – **5 years**. Electrical components and fabric – **2 years**.

#### Certificate - MFC:





#### Assembly:

product delivered in separate elements

#### Packing:

cardboard, perforated plastic mesh wrap


#### Compliant with standards:

PN-EN 527-2:2017-02

## **Boards density:**

12 mm - 690 - 750 kg/m3 18 mm - 650 - 690 kg/m3 28 mm - 610 - 630 kg/m3 36 mm - 610 - 630 kg/m3

#### Material composition \*:



## Recyclability \*\*

Recyclable: 42% - Downcyclable: 58%

#### **Recycled content**


36%

#### Co2 carbon footprint


33,55 kg

<sup>\*\*</sup> average values for a representative of the group; values may vary for other products

#### Ogi desk worktops




- 1. Worktop MFC 28 mm, ABS edge OPTIONS WITH EXTRA CHARGE:
- **2. Grommet -** 2 pcs, Ø 80 mm
- **3. Mediabox M04H** 2 x RJ45 (class E, cat. 6); + 1 x USB + 1 x HDMI +4 x 230V
- 4. Mediabox M04 2 x RJ45 (class E, cat. 6); + 1 x USB + 4 x 230V
- 5. Mediabox M07 1 x 230V + 1 x USB charger + 1 x RJ45, colour: black, white, mounted instead of the existing grommet Ø80 mm (Pk80)
- 6. Top access M05
- 7. Cable way the width of the opening is proportional to the width of the worktop
- 8. Mediabox M07 + cable grommets
- 9. Cable way + cable grommets desks, bench desks



#### **Frame**






Attention - cable tray under the worktop is always in M009 - aluminium semi-matt colour.

Attention - leveling - 10 mm range.

#### Desk with managerial storage




#### A14M:


- 1. Worktop MFC 28 mm, ABS edge
- 2. Top MFC 28 mm, ABS edge
- 3. Shelf MFC 18 mm, protection against accidental falling-out, ABS edge
- 4. Drawer MFC 18 mm, ABS edge, patent lock possible to change location
- 5. Base MFC 18 mm, ABS edge
- 6. Front MFC 18 mm, ABS edge


A12M - OPTION WITH EXTRA CHARGE:


- 7. Top MFC 28 mm, ABS edge
- 8. Cable grommets Ø80 mm
- 9. Base MFC 18 mm, ABS edge
- 10. Front MFC 18 mm, ABS edge
- 11. Central lock foldable key
- 12. Patent lock
- 13. Metal drawer roll runners, max load 25 kg, 80% extraction, anti-tilt mechanism
- 14. Suspension files drawer with bottom, ball runners, max load 45kg, 100% extraction, Push-to-Open
- 15. Drawer with bottom ball runners, max. load 40 kg, 100 % extraction, push-to-open, enough space for computer
- 16. Leveling feet range 5 mm


# Configuration examples - desk with managerial storage - A14M (mm)



















Date of preparation 03.11.2022













# Configuration examples with BOX40, BOX50, BOX60




ATTENTION - only for Ogi Q, Ogi U, Ogi Y, Ogi M

#### **Accessories**



- 1. Horizontal cable tray \$69 powder coated
- 2. Single desk horizontal cable tray (SG12, SG16) powder coated metal
- 3. Horizontal cable tray E64 powder coated
- 4. Cable tray for bench desks (SG220, SG260) steel wire  $\emptyset4$  mm, powder coated

# Sliding top



- 1. Sliding top shifting range 141 mm
- 2. Tabletop sliding lock


Note - M04, M04H, and M07 mediaboxes cannot be installed.

Ogi M	Date of preparation 03.11.2022
	1 05.11.2022


#### Power strip - for series connection

- 1. PWS1 set for 1 workstation power strip (3x SCHUCKO, 2x RJ45) x1 + power cord (universal outlet PL/FR/Schucko)
- PWS2 set for 2 workstation power strip (3x SCHUCKO, 2x RJ45) x2 + set of power cords (universal outlet PL/FR/Schucko)
- **3. PWS3** set for 3 workstation power strip (3x SCHUCKO, 2x RJ45) x3 + set of power cords (universal outlet PL/FR/Schucko)





#### Elements for desks pairing



BOM10 1000 / 600 / 740 24.4 kg



BOM12 1200 / 600 / 740 26.3 kg



BOM14 1400 / 600 / 740 33.05 kg



BOM16 1600 / 600 / 740 32.5 kg



BOM19 1000 / 700 / 740 27.05 kg



BOM22 1200 / 700 / 740 32.7 kg



BOM24 1400 / 700 / 740 33.8 kg



BOM26 1600 / 700 / 740 40.5 kg



BOM02 1200 / 800 / 740 35 kg



вомоз 1400 / 800 / 740 37.75 kg



BOM04 1600 / 800 / 740 42.05 kg



BOM05 1800 / 800 / 740 46.55 kg



BOM06 2000 / 800 / 740 49.6 kg

1000 / 600 / 740 20.87 kg



1200 / 600 / 740 22.7 kg



BOX14 1400 / 600 / 740 29.45 kg



BOX16 1600 / 600 / 740 28.9 kg



вох30 1000 / 700 / 740 23.45 kg



BOX32 1200 / 700 / 740 29.1 kg



вох34 1400 / 700 / 740 30.2 kg



вох36 1600 / 700 / 740 36.9 kg



BOX40 500 / 800 / 740 11 kg



BOX42 1200 / 800 / 740 30.8 kg



BOX43 1400 / 800 / 740 33.55 kg



BOX44 1600 / 800 / 740 37.85 kg



BOX45 1800 / 800 / 740 42.35 kg

 $<sup>^{\</sup>star}$  dimensions expressed in millimeters: width x depth x height

**BOM50** 1000 / 1210 / 740 42.8 kg



**BOM52** 1200 / 1210 / 740 46.6 kg



**BOM54** 1400 / 1210 / 740 60.1 kg



**BOM56** 1600 / 1210 / 740 59 kg



**BOM48** 1000 / 1410 / 740 49.1 kg



**BOM42** 1200 / 1410 / 740 60.4 kg



**BOM44** 1400 / 1410 / 740 62.6 kg



**BOM46** 1600 / 1410 / 740 76 kg



**BOM32** 1200 / 1610 / 740 64 kg



**BOM33** 1400 / 1610 / 740 69.5 kg



**BOM34** 1600 / 1610 / 740 78.1 kg



**BOM35** 1800 / 1610 / 740 87.1 kg

# Elements for arrangement building - bench \*



**BOX20** 1000 / 1210 / 740 36.8 kg



**BOX22** 1200 / 1210 / 740 40.6 kg



**BOX24** 1400 / 1210 / 740 54.1 kg



BOX26 1600 / 1210 / 740 53 kg

 $<sup>^{\</sup>star}$  dimensions expressed in millimeters: width x depth x height

**BOX50** 1000 / 1410 / 740 24.05 kg



**BOX51** 1000 / 1410 / 740 43.7 kg



**BOX52** 1200 / 1410 / 740 55 kg



**BOX54** 1400 / 1410 / 740 57.2 kg



**BOX56** 1600 / 1410 / 740 70.6 kg



**BOX60** 1000 / 1610 / 740 28.75 kg



**BOX62** 1200 / 1610 / 740 58.35 kg



**BOX64** 1400 / 1610 / 740 63.85 kg



**BOX66** 1600 / 1610 / 740 72.45 kg



**BOX68** 1800 / 1610 / 740 81.45 kg

# Desks with managerial storage \*



**BOM20** 1702-1600 / 1600 / 740 108.3 kg



**BOM21** 1902-1800 / 1600 / *7*40 111.2 kg



**BOM40** 1702-1600 / 3210 / 740 210.4 kg



**BOM41** 1902-1800 / 3210 / 740 219.4 kg

 $<sup>^{\</sup>star}$  dimensions expressed in millimeters: width x depth x height



**POM01** 600 / 800 / 740 15.65 kg



**POM02** 600 / 1000 / 740 19.4 kg




**POM03** 600 / 1200 / 740 20 kg

## **Power strip**

**PWS1** 500 / 430 / 569 1.1 kg



**PWS2** 500 / 430 / 569 1.6 kg



**PWS3** 500 / 430 / 569 2.1 kg

 $<sup>^{\</sup>star}$  dimensions expressed in millimeters: width x depth x height

# Worktop, top, base, body, front






167 Grey oak \*

#### Frame - metal



#### Mediabox - metal



#### **Grommets**



#### **Accessories**



<sup>\*</sup> body - II group \*\* additional charge option: one-time charge for the colour (200  $\epsilon$ ) + 10% of the product value

Ogi M prepa	Date of preparation	The data contained in this document is valid in the day of its preparation.  Change of the product, as long as it does not affect the basic features of it, does not require consistent updates of the document.	page 13/13
	03.11.2022		colours