

# Ogi U

## technical specification



.mdd

**.mdd has a leading position among manufacturers of office furniture with many awards that prove quality and continuously increase demand for it's products.**

The realities of today`s market require constant quality improvement at all levels of modern organization. This applies in particular to customer service, marketing, quality of products and also to quality of processes within the company. Partnership relations among employees and with business partners form a base of economic growth and success of the company.

Constant investments in innovative machinery park, optimization of managment systems and an expansion of production halls allow to minimize the lead times for the product of the highest quality.

**More than twenty years of experience in office furniture industry come with reference from a long list of companies and institutions to show their appreciation for an efficient and comprehensive service.**

**.mdd is hgly aware of the environment.**

Being located in the forest region with lake by itis side, .mdd takes the nature seriously and invests constantly in a modern and energy-efficient solutions to preserve the local life. Company puts emphasis on waste segregation and recycling. .mdd has been awarded for the exceptional care and involvement in waste disposal. All materials used are environmentally friendly and enjoy a high 95 % rate of being recycled.



## General informations:

### Warranty:

.mdd products – 5 years.

Electrical components and fabric – 2 years.

### Certificate – MFC:



### Assembly:

product delivered in separate elements

### Packing:

cardboard, perforated plastic mesh wrap

### Compliant with standards:

PN-EN 527-2:2017-02

### Boards density:


12 mm – 690 – 750 kg/m<sup>3</sup>

18 mm – 650 – 690 kg/m<sup>3</sup>

28 mm – 610 – 630 kg/m<sup>3</sup>

36 mm – 610 – 630 kg/m<sup>3</sup>

### Material composition \*:



\* according to the EPD document

### Recyclability \*\*

Recyclable: 42% – Downcyclable: 58%

### Recycled content


36%

### Co2 carbon footprint

33,55 kg

\*\* average values for a representative of the group; values may vary for other products

## Ogi desk worktops



1. Worktop - MFC 28 mm, ABS edge

OPTIONS WITH EXTRA CHARGE:

2. Grommet - 2 pcs, Ø 80 mm

3. Mediabox M04H - 2 x RJ45 (class E, cat. 6); + 1 x USB + 1 x HDMI + 4 x 230V

4. Mediabox M04 - 2 x RJ45 (class E, cat. 6); + 1 x USB + 4 x 230V


5. Mediabox M07 - 1 x 230V + 1 x USB charger + 1 x RJ45, colour: black, white, mounted instead of the existing grommet Ø80 mm (Pk80)

6. Top access M05


7. Cable way - the width of the opening is proportional to the width of the worktop

8. Mediabox M07 + cable grommets

9. Cable way + cable grommets - desks, bench desks




## Dimensions of radial worktops (mm)



## Frame

Ogi U: powder coated steel, profile 60x30 mm, spacer 10 mm between top and frame




Attention - leveling - 10 mm range

Attention - cable tray under the worktop is always in M009 - aluminium semi-matt colour.

## Desk with managerial storage

www.mdd.eu



### A14M:


1. **Worktop** - MFC 28 mm, ABS edge
2. **Top** - MFC 28 mm, ABS edge
3. **Shelf** - MFC 18 mm, protection against accidental falling-out, ABS edge
4. **Drawer** - MFC 18 mm, ABS edge, patent lock - possible to change location

5. **Base** - MFC 18 mm, ABS edge
6. **Front** - MFC 18 mm, ABS edge

### A12M - OPTION WITH EXTRA CHARGE:


7. **Top** - MFC 28 mm, ABS edge
8. **Cable grommets** - Ø80 mm
9. **Base** - MFC 18 mm, ABS edge
10. **Front** - MFC 18 mm, ABS edge
11. **Central lock** - foldable key
12. **Patent lock**
13. **Metal drawer** - roll runners, max load 25 kg, 80% extraction, anti-tilt mechanism
14. **Suspension files drawer** - with bottom, ball runners, max load 45kg, 100% extraction, Push-to-Open
15. **Drawer with bottom** - ball runners, max. load 40 kg, 100 % extraction, push-to-open, enough space for computer
16. **Leveling feet** - range 5 mm

## Configuration examples - desk with managerial storage - A14M (mm)




Ogi U	Date of preparation 03.11.2022	The data contained in this document is valid in the day of its preparation. Change of the product, as long as it does not affect the basic features of it, does not require consistent updates of the document.	page 4/14 technical description
-------	-----------------------------------	---	------------------------------------


Configuration examples - desk with managerial storage - A14M (mm)



Configuration examples - desk with managerial storage - A12M (mm)







## Configuration examples with BOX40, BOX50, BOX60



ATTENTION – only for Ogi Q, Ogi U, Ogi Y, Ogi M


## Accessories



1. Horizontal cable tray S69 – powder coated
2. Single desk horizontal cable tray (SG12, SG16) – powder coated metal
3. Horizontal cable tray E64 – powder coated
4. Cable tray for bench desks (SG220, SG260) – steel wire Ø4 mm, powder coated

## Sliding top

1. Sliding top – shifting range 141 mm
2. Tabletop sliding lock




Note – M04, M04H, and M07 mediaboxes cannot be installed.

Ogi U	Date of preparation 03.11.2022	The data contained in this document is valid in the day of its preparation. Change of the product, as long as it does not affect the basic features of it, does not require consistent updates of the document.	page 6/14 technical description
-------	-----------------------------------	---	------------------------------------


Power strip - for series connection

- 1. **PWS1** - set for 1 workstation - power strip (3x SCHUCKO, 2x RJ45) x1 + power cord (universal outlet PL/FR/Schucko)
- 2. **PWS2** - set for 2 workstation - power strip (3x SCHUCKO, 2x RJ45) x2 + set of power cords (universal outlet PL/FR/Schucko)
- 3. **PWS3** - set for 3 workstation - power strip (3x SCHUCKO, 2x RJ45) x3 + set of power cords (universal outlet PL/FR/Schucko)


1




2



3




Elements for desks pairing






## Desks \*




**BOU10**  
1000 / 600 / 740  
26.8 kg




**BOU12**  
1200 / 600 / 740  
30.4 kg




**BOU14**  
1400 / 600 / 740  
33.15 kg




**BOU16**  
1600 / 600 / 740  
36.2 kg




**BOU49**  
1000 / 700 / 740  
29.45 kg




**BOU28**  
1200 / 700 / 740  
31.5 kg




**BOU29**  
1400 / 700 / 740  
36.2 kg



**BOU30**  
1600 / 700 / 740  
42.9 kg




**BOU19**  
1200 / 800 / 740  
37 kg




**BOU20**  
1400 / 800 / 740  
39.75 kg



**BOU21**  
1600 / 800 / 740  
44.05 kg



**BOU22**  
1800 / 800 / 740  
48.55 kg




**BOU27**  
2000 / 800 / 740  
51.6 kg


\* dimensions expressed in millimeters: width x depth x height




## Elements for arrangement building - straight desk \*




**BOX10**  
1000 / 600 / 740  
20.87 kg




**BOX12**  
1200 / 600 / 740  
22.7 kg




**BOX14**  
1400 / 600 / 740  
29.45 kg




**BOX16**  
1600 / 600 / 740  
28.9 kg




**BOX30**  
1000 / 700 / 740  
23.45 kg



**BOX32**  
1200 / 700 / 740  
29.1 kg




**BOX34**  
1400 / 700 / 740  
30.2 kg




**BOX36**  
1600 / 700 / 740  
36.9 kg




**BOX40**  
500 / 800 / 740  
11 kg




**BOX42**  
1200 / 800 / 740  
30.8 kg



**BOX43**  
1400 / 800 / 740  
33.55 kg



**BOX44**  
1600 / 800 / 740  
37.85 kg




**BOX45**  
1800 / 800 / 740  
42.35 kg


\* dimensions expressed in millimeters: width x depth x height

Ogi U	Date of preparation 03.11.2022	The data contained in this document is valid in the day of its preparation. Change of the product, as long as it does not affect the basic features of it, does not require consistent updates of the document.	page 9/14
			products


Radial desks \*




**BOU23**  
1600 / 1200 / 740  
47.1 kg




**BOU25**  
1800 / 1200 / 740  
51.25 kg



**BOU24**  
1600 / 1200 / 740  
49.05 kg




**BOU26**  
1800 / 1200 / 740  
50.85 kg




**BOU15**  
1600 / 2410 / 740  
89.45 kg


Desks with managerial storage \*




**BOUL20**  
1600-1702 / 1600 / 740  
108.2 kg



**BOUL21**  
1800-1902 / 1600 / 740  
112.75 kg




**BOUL40**  
1600-1702 / 3210 / 740  
213.2 kg




**BOUL41**  
1800-1902 / 3210 / 740  
222.2 kg

\* dimensions expressed in millimeters: width x depth x height


## Bench desks \*




**BOU50**  
1000 / 1210 / 740  
44.8 kg




**BOU52**  
1200 / 1210 / 740  
48.6 kg




**BOU54**  
1400 / 1210 / 740  
62.1 kg




**BOU56**  
1600 / 1210 / 740  
61 kg




**BOU48**  
1000 / 1410 / 740  
51.4 kg




**BOU42**  
1200 / 1410 / 740  
62.7 kg




**BOU44**  
1400 / 1410 / 740  
64.9 kg




**BOU46**  
1600 / 1410 / 740  
78.3 kg




**BOU32**  
1200 / 1610 / 740  
67.3 kg



**BOU33**  
1400 / 1610 / 740  
72.83 kg




**BOU34**  
1600 / 1610 / 740  
81.4 kg




**BOU35**  
1800 / 1610 / 740  
90.4 kg


## Elements for arrangement building - bench \*




**BOX20**  
1000 / 1210 / 740  
36.8 kg



**BOX22**  
1200 / 1210 / 740  
40.6 kg



**BOX24**  
1400 / 1210 / 740  
54.1 kg




**BOX26**  
1600 / 1210 / 740  
53 kg

\* dimensions expressed in millimeters: width x depth x height


## Elements for arrangement building - bench \*




**BOX50**  
1000 / 1410 / 740  
24.05 kg




**BOX51**  
1000 / 1410 / 740  
43.7 kg



**BOX52**  
1200 / 1410 / 740  
55 kg




**BOX54**  
1400 / 1410 / 740  
57.2 kg




**BOX56**  
1600 / 1410 / 740  
70.6 kg




**BOX60**  
1000 / 1610 / 740  
28.75 kg




**BOX62**  
1200 / 1610 / 740  
58.35 kg



**BOX64**  
1400 / 1610 / 740  
63.85 kg




**BOX66**  
1600 / 1610 / 740  
72.45 kg




**BOX68**  
1800 / 1610 / 740  
81.45 kg


## Desk extensions \*



**PLU01**  
600 / 800 / 740  
17.8 kg



**PLU02**  
600 / 1000 / 740  
19.8 kg



**PLU03**  
600 / 1200 / 740  
22.3 kg

\* dimensions expressed in millimeters: width x depth x height


Power strip \*



**PWS1**  
500 / 430 / 569  
1.1 kg



**PWS2**  
500 / 430 / 569  
1.6 kg



**PWS3**  
500 / 430 / 569  
2.1 kg

\* dimensions expressed in millimeters: width x depth x height

## Worktop, top, base, body, front




26 Aluminum  
satinato



31 Canadian oak \*



39 Polar birch \*



64 Cocoa \*



168 Natural oak \*



169 Honey oak\*



170 Acacia \*



67 White pastel



171 Dark walnut\*



106 Lowland  
walnut \*



154 Anthracite



08 Black



167 Grey oak \*

## Frame - metal



M009 Aluminum  
semi-matt  
RAL9006




M015 White  
semi-matt  
RAL9010




M154 Antracite  
semi-matt  
RAL7043



M115 Black  
semi-matt  
RAL9005



M026 Olive semi-  
matt RAL6013\*\*



M027 Blue semi-  
matt RAL5003\*\*



M028 Brick red  
semi-matt  
RAL0404040 \*\*



M029 Yellow  
semi-matt  
RAL0807060 \*\*



M030 Beige  
semi-matt  
RAL0608005 \*\*

## Mediabox - metal



M009 Aluminum  
semi-matt  
RAL9006



M015 White  
semi-matt  
RAL9010



M154 Antracite  
semi-matt  
RAL7043



M115 Black  
semi-matt  
RAL9005

## Grommets



Grey



Black



Beige



White pastel

## Accessories



M009 Aluminum  
semi-matt  
RAL9006



M015 White  
semi-matt  
RAL9010



M115 Black  
semi-matt  
RAL9005

\* body - II group

\*\* additional charge option: one-time charge for the colour (200 €) + 10% of the product value

Ogi U	Date of preparation 03.11.2022	The data contained in this document is valid in the day of its preparation. Change of the product, as long as it does not affect the basic features of it, does not require consistent updates of the document.	page 14/14
			colours