

Ogi Yr technical specification



.mdd

.mdd has a leading position among manufacturers of office furniture with many awards that prove quality and continuously increase demand for it's products.

The realities of today`s market require constant quality improvement at all levels of modern organization. This applies in particular to customer service, marketing, quality of products and also to quality of processes within the company. Partnership relations among employees and with business partners form a base of economic growth and success of the company.

Constant investments in innovative machinery park, optimization of managment systems and an expansion of production halls allow to minimize the lead times for the product of the highest quality.

More than twenty years of experience in office furniture industry come with reference from a long list of companies and institutions to show their appreciation for an efficient and comprehensive service.

.mdd is hgly aware of the environment.

Being located in the forest region with lake by itis side, .mdd takes the nature seriously and invests constantly in a modern and energy-efficient solutions to preserve the local life. Company puts emphasis on waste segregation and recycling. .mdd has been awarded for the exceptional care and involvement in waste disposal. All materials used are environmentally friendly and enjoy a high 95 % rate of being recycled.



General informations:

Warranty:

.mdd products – **5 years**.
Electrical components and fabric – **2 years**.

Certificate – MFC:



Assembly:

product delivered in
separate elements

Packing:

cardboard


Compliant with standards:

PN-EN 527-2:2017-02

Boards density:

12 mm – 690 – 750 kg/m³
18 mm – 650 – 690 kg/m³
28 mm – 610 – 630 kg/m³
36 mm – 610 – 630 kg/m³

Material composition *:



* according to the EPD document

Recyclability **

Recyclable: 42% – Downcyclable: 58%

Recycled content


36%

Co2 carbon footprint

33,55 kg

** average values for a representative of the group;
values may vary for other products

Ogi desk worktops



1. Worktop – MFC 28 mm, ABS edge

OPTIONS WITH EXTRA CHARGE:

2. Grommet – 2 pcs, Ø 80 mm

3. Mediabox M04H – 2 x RJ45 (class E, cat. 6); + 1 x USB + 1 x HDMI + 4 x 230V

4. Mediabox M04 – 2 x RJ45 (class E, cat. 6); + 1 x USB + 4 x 230V


5. Mediabox M07 – 1 x 230V + 1 x USB charger + 1 x RJ45, colour: black, white, mounted instead of the existing grommet Ø80 mm (Pk80)

6. Top access M05

7. Cable way – the width of the opening is proportional to the width of the worktop


8. Mediabox M07 + cable grommets

9. Cable way + cable grommets – desks, bench desks



Frame

Ogi Y with manual height adjustment: 640–860 mm, every 20 mm, powder coated steel, telescopic profile: 30x30 into 40x40 mm




Attention – cable tray under the worktop is always in M009 – aluminium semi-matt colour.

Attention – leveling – 10 mm range.


Accessories

- 1. Horizontal cable tray S69 – powder coated
- 2. Single desk horizontal cable tray (SG12, SG16) – powder coated metal
- 3. Horizontal cable tray E64 – powder coated



Sliding top

- 1. Sliding top – shifting range 141 mm
- 2. Tabletop sliding lock



Note – M04, M04H, and M07 mediaboxes cannot be installed.


Desks with manual height adjustment *




BOY02R
1200 / 800 / 640-860
38.8 kg




BOY03R
1400 / 800 / 640-860
41.55 kg



BOY04R
1600 / 800 / 640-860
45.85 kg



BOY05R
1800 / 800 / 640-860
50.35 kg



BOY06R
2000 / 800 / 640-860
51.3 kg

* dimensions expressed in millimeters: width x depth x height

Worktop, top, base, body, front



Frame - metal




Mediabox - metal



Grommets



Accessories



* body - II group

** additional charge option: one-time charge for the colour (200 €) + 10% of the product value

Ogi Yr	Date of preparation 03.11.2022	The data contained in this document is valid in the day of its preparation. Change of the product, as long as it does not affect the basic features of it, does not require consistent updates of the document.	page 6/6
			colours