# Ogi Drive - hand crank frame technical specification



,mdd

# .mdd has a leading position among manufacturers of office furniture with many awards that prove quality and continuously increase demand for it's products.

The realities of today's market require constant quality improvement at all levels of modern organization. This applies in particular to customer service, marketing, quality of products and also to quality of processes within the company. Partnership relations among employees and with business partners form a base of economic growth and success of the company.

Constant investments in innovative machinery park, optimization of managment systems and an expansion of production halls allow to minimize the lead times for the product of the highest quality.

More than twenty years of experience in office furniture industry come with reference from a long list of companies and institutions to show their appreciation for an efficient and comprehensive service. .mdd is higly aware of the environment.

Being located in the forest region with lake by its side, .mdd takes the nature seriously and invests constantly in a modern and energy-efficient solutions to preserve the local life. Company puts emphasis on waste segregation and recycling. .mdd has been awarded for the exceptional care and involvement in waste disposal. All materials used are environmentally friendly and enjoy a high 95 % rate of being recycled.













# **General informations:**

#### Warranty:

.mdd products – **5 years**. Electrical components and fabric – **2 years**.

# Certificate - MFC:





#### Assembly:

product delivered in separate elements

#### Packing:

cardboard


### Compliant with standards:

PN-EN 527-2:2017-02

#### **Boards density:**

12 mm - 690 - 750 kg/m3 18 mm - 650 - 690 kg/m3 28 mm - 610 - 630 kg/m3 36 mm - 610 - 630 kg/m3

# Material composition \*:



### Recyclability \*\*

Recycling: 50% - Downcycling: 50%

# **Recycled content**

43%

# Co2 carbon footprint

56,5 kg


Ogi Drive hand crank frame

Date of preparation 03.11.2022 The data contained in this document is valid in the day of its preparation. Change of the product, as long as it does not affect the basic features of it, does not require consistent updates of the document.


page 2/8

general informations

<sup>\*\*</sup> average values for a representative of the group; values may vary for other products





- 1. Worktop MFC 28 mm, ABS edge OPTIONS WITH EXTRA CHARGE:
- 2. Grommet 2 pcs, Ø 80 mm
- **3. Mediabox M04H** 2 x RJ45 (class E, cat. 6); + 1 x USB + 1 x HDMI + 4 x 230V
- 4. Mediabox M04 2 x RJ45 (class E, cat. 6); + 1 x USB + 4 x 230V
- 5. Mediabox M07 1 x 230V + 1 x USB charger + 1 x RJ45, colour: black, white, mounted instead of the existing grommet Ø80 mm (Pk80)
- 6. Top access M05
- 7. Cable way the width of the opening is proportional to the width of the worktop
- 8. Mediabox M07 + cable grommets
- 9. Cable way + cable grommets desks, bench desks




#### **Frame**

- Ogi Drive with manual height adjustment metal, powder coated, 2 profiles 50x50 mm i 60x60 mm, adjustment in the range of 650-1000 mm
- 2. OPTION WITH EXTRA CHARGE Pro foot:
- aluminium powder coated
- polished aluminium






# Hand crankframe - Ogi Drive



- 1. Worktop MFC 28 mm, ABS edge
- 2. ZD Panel accoustic class A, fire resistant, zip fastener, pinable
- 3. Fixing element powder coated metal
- 4. Metal element for legs connecting
- 5. Leveling feet range 5 mm
- 6. Hand crank hidden handle, colour: black, stepless adjustment in the range of 650 - 1000 mm, rotation 2,25 mm, profiles 60 x 60 mm, 50 x 50 mm

# **Accessories**




- 1. Horizontal cable tray \$69 powder coated, colour: 09 aluminum
- 2. Single desk horizontal cable tray (SG12, SG16) powder coated metal, colour: M009 aluminum semi-matt
- Horizontal cable tray E64 powder coated, colour: M009 aluminium semi-matt
- 4. Cable tray for bench desks Ogi Drive (SOD12, SOD14, SOD16, SOD18, SOD20) powder coated, colour: M009 aluminium semi-matt

# Power strip - for series connection

- 1. PWS1 set for 1 workstation power strip (3x SCHUCKO, 2x RJ45) x1 + power cord (universal outlet PL/FR/Schucko)
- 2. PWS2 set for 2 workstation power strip (3x SCHUCKO, 2x RJ45) x2 + set of power cords (universal outlet PL/FR/Schucko)
- **3. PWS3** set for 3 workstation power strip (3x SCHUCKO, 2x RJ45) x3 + set of power cords (universal outlet PL/FR/Schucko)





# Single desks with hand crank adjustment in the range of 650-1000 mm - sit-sit \*



**BOC02** 1200 / 800 / 650-1000 45.1 kg



**BOC03** 1400 / 800 / 650-1000 49.6 kg



**BOC04** 1600 / 800 / 650-1000 52.5 kg



**BOC05** 1800 / 800/ 650-1000 55.4 kg



**BOC06** 2000 / 800 / 650-1000 72.15 kg

# Bench desks with hand crank adjustment in the range of 650-1000 mm - sit-sit \*



**BOC20** 1200 / 1690 / 650-1000 91.7 kg



**BOC30** 1400 / 1690 / 650-1000 100.2 kg



**BOC40** 1600 / 1690 / 650-1000 105.5 kg



**BOC50** 1800 / 1690 / 650-1000 110.8 kg



**BOC60** 2000 / 1690 / 650-1000 117.8 kg


<sup>\*</sup> dimensions expressed in millimeters: width x depth x height

PWS1 500 / 430 / 569 1.1 kg

PWS2 500 / 430 / 569 1.6 kg 500 / 430 / 569 2.1 kg

 $<sup>^{\</sup>star}$  dimensions expressed in millimeters: width x depth x height

#### Worktop



#### Frame - metal

167 Grey oak




# Mediabox - metal



#### **Grommets**



# **Foot Pro**



\* body - II group
\*\* additional charge option: one-time charge for the colour (200 €) + 10% of the product value
\*\*\* OPTION WITH EXTRA CHARGE

Ogi Drive hand crank frame	Date of preparation	The data contained in this document is valid in the day of its preparation.  Change of the product, as long as it does not affect the basic features of it, does not require consistent updates of the document.	page 8/8
	03.11.2022		colours