
# Quando technical specification



.mdd

### .mdd has a leading position among manufacturers of office furniture with many awards that prove quality and continuously increase demand for it's products.

The realities of today's market require constant quality improvement at all levels of modern organization. This applies in particular to customer service, marketing, quality of products and also to quality of processes within the company. Partnership relations among employees and with business partners form a base of economic growth and success of the company.

Constant investments in innovative machinery park, optimization of managment systems and an expansion of production halls allow to minimize the lead times for the product of the highest quality.

## More than twenty years of experience in office furniture industry come with reference from a long list of companies and institutions to show their appreciation for an efficient and comprehensive service. .mdd is higly aware of the environment.

Being located in the forest region with lake by its side, .mdd takes the nature seriously and invests constantly in a modern and energy-efficient solutions to preserve the local life. Company puts emphasis on waste segregation and recycling. .mdd has been awarded for the exceptional care and involvement in waste disposal. All materials used are environmentally friendly and enjoy a high 95 % rate of being recycled.



#### **General informations:**

#### Warranty:

.mdd products - **5 years**. Electrical components and fabric - **2 years**.

#### Certificate - MFC:



#### Assembly:

product delivered in separate elements

Packing: desks, cabinet, pedestals, storages: cardboard; meeting tables: cardboard, perforated plastic mesh wrap

#### Compliant with standards:

PN-EN 527-2:2017-02 PN-EN 14073-2:2006


#### **Boards density:**

12 mm - 690 - 750 kg/m3 18 mm - 650 - 690 kg/m3 28 mm - 610 - 630 kg/m3 36 mm - 610 - 630 kg/m3

#### Recyclability \*\* Recycling: 10% - Downcycling: 90%


Recycled content 4%

**Co2 carbon footprint** 112,5 kg




\*\* average values for a representative of the group; values may vary for other products

page 2/10 general informations




- 1. Worktop MFC 38 mm, ABS edge
- 2. Top distance aluminium 100x34x9 mm
- 3. Base MFC 38 mm, ABS edge
- 4. Modesty panel MFC 18 mm, ABS edge
- 5. Leveling feet aluminium 100x34x9 mm, range 5 mm


#### Configuration examples





#### QU16 / QU19

#### Configuration examples (mm)











The data contained in this document is valid in the day of its preparation. Change of the product, as long as it does not affect the basic features of it, does not require consistent updates of the document.

#### Cabinet




#### Mobile pedestal QD13



- 1. Top MFC 38 mm, ABS edge
- 2. Side panels MFC 38 mm, ABS edge
- 3. Front MFC 18 mm, ABS edge
- 4. Aluminum handle
- 5. Sliding front MFC 18 mm, ABS edge
- 6. Shelf MFC 18 mm, protection against accidental falling-out, ABS edge
- 7. Leveling feet aluminum 100x34x9 mm, range 5 mm


- 1. Top MFC 18 mm, ABS edge
- 2. Body MFC 18 mm, ABS edge
- 3. Central lock foldable key
- 4. Aluminum handle
- 5. Castors Ø50 mm, two with brakes
- 6. Pencil tray plastic, colour: black
- 7. MFC drawer roll runners, max load 25kg, 80% extraction; Anti-tilt mechanism
- 8. Front MFC 18 mm, ABS edge




- 1. Top MFC 28 mm, ABS edge
- 2. Side panels MFC 18 mm, ABS edge
- 3. Back MFC 18 mm, ABS edges
- 4. Front MFC 18 mm, ABS edge, plain hinge 110°
- 5. Shelf MFC 18 mm, protection against accidental falling-out, ABS edge
- 6. Base MFC 18 mm, ABS edge
- 7. Aluminum handle
- 8. Patent lock
- 9. Leveling feet 27 mm range 5 mm

The data contained in this document is valid in the day of its preparation. Change of the product, as long as it does not affect the basic features of it, does not require consistent updates of the document. page 4/10 technical specification

#### Storage with sliding front - Q315




#### MFC base meeting tables



- 1. Top MFC 28 mm, ABS edge
- 2. Side panels MFC 18 mm, ABS edge
- 3. Leveling feet 27 mm range 5 mm
- 4. Base MFC 18 mm, ABS edge
- 5. Shelf MFC 18 mm, protection against accidental falling-out, ABS edge
- 6. Sliding front MFC 18 mm, ABS edge

- 1. Worktop MFC 38 mm, ABS edge
- 2. Base MFC 38 mm, ABS edge
- 3. Modesty panel MFC 18 mm, ABS edge
- 4. Leveling feet aluminium 100x34x9 mm, range 5 mm

Disc base meeting tables



- 1. Worktop MFC 38 mm, ABS edge
- 2. Column powder coated steel
- 3. Disc stainless steel

Quando	Date of preparation 05.06.2023


The data contained in this document is valid in the day of its preparation. Change of the product, as long as it does not affect the basic features of it, does not require consistent updates of the document.

page 5/10 technical specification


Date of

#### **Optional storage tops**

1. Top - MFC 38 mm, ABS edge



#### **Mediabox location**



Quando	C
--------	---

#### Desks \*





**Q19** 1900 / 900 / 740 95.95 kg


**Q16** 1600 / 900 / 740 88.5 kg

#### Desk extenstion \*



**Q10** 1000 / 550 / 740 31.5 kg

#### Desks with managerial storage \*





**QU16** 1600-1864 / 900-1800 / 740 165.1 kg



#### Cabinet \*



**QR16** 1600 / 550 / 610 94.75 kg

\* dimensions expressed in millimeters: width x depth x height

Quando	Date of preparation	The data contained in this document is valid in the day of its preparation. Change of the product, as long as it does not affect the basic features of it,	page 7/10
	05.06.2023	does not require consistent updates of the document.	products

#### Pedestal \*



**QD13** 402 / 600 / 590 30 kg

#### Meeting tables \*



**QSL08** 800 / 800 / 550 31.65 kg



**QS08** 800 / 800 / 740 37.25 kg




**QS09** 800 / 800 / 740 34.4 kg



**QS12** 1200 / 1200 / 740 60.25 kg



**QS19** 1900 / 900 / 740 79.55 kg



**QS20** 1900 / 900 / 740 103.55 kg

#### Storages \*



**Q31** 801 / 432 / 1129 56.5 kg



**Q51** 801 / 432 / 1833 95.1 kg



**Q35** 801 / 432 / 1129 44.95 kg



**Q54** 801 / 432 / 1833 76.85 kg

\* dimensions expressed in millimeters: width x depth x height

Quando	Date of preparation	The data contained in this document is valid in the day of its preparation. Change of the product, as long as it does not affect the basic features of it,	page 8/10
	05.06.2023	does not require consistent updates of the document.	products


#### Storages \*



**Q315** 1400 / 432 / 1280 90.35 kg

#### Glass door storages \*





**Q54W** 801 / 432 / 1833 89 kg

#### Additional elements \*

**Hq2** 12 / 17 / 158 0.1 kg

**M04** 275 / 120 / 140 1.6 kg



**M04H** 275 / 120 / 140 2 kg



**M05** 275 / 120 / 25 0.3 kg

\* dimensions expressed in millimeters: width x depth x height

	Date of preparation	The data contained in this document is valid in the day of its preparation. Change of the product, as long as it does not affect the basic features of it.	page 9/10
	05.06.2023	does not require consistent updates of the document.	products

**Q35W** 801 / 432 / 1129 57.65 kg

#### **MFC** elements





171 Dark walnut

#### Tables - disc base - column



semi-matt RAL9005



M115 Black

M015 White semi-matt RAL9010