







| <div></div> <div></div> |  |             |     |    |    |      |                            |                          |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-------------|-----|----|----|------|----------------------------|--------------------------|
| Referencia                                                                                                                                                                                |  | Dimensiones |     |    |    |      | kg m3 pcs                  | Elementos de composición |
|                                                                                                                                                                                           |  | W1          | W2  | D1 | D2 | H    |                            |                          |
| TRA13                                                                                                                                                                                     |  | 856         | 820 |    |    | 1090 | 59 kg<br>0.124 m3<br>3 pcs | TR1L+TR08+TR1P           |

| Recargo adicional |  |  |  |  |  |  |
|-------------------|--|--|--|--|--|--|
|                   |  |  |  |  |  |  |
|                   |  |  |  |  |  |  |



| <div></div> <div></div> |  |             |     |    |    |      |                            |                          |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-------------|-----|----|----|------|----------------------------|--------------------------|
| Referencia                                                                                                                                                                                |  | Dimensiones |     |    |    |      | kg m3 pcs                  | Elementos de composición |
|                                                                                                                                                                                           |  | W1          | W2  | D1 | D2 | H    |                            |                          |
| TRA14                                                                                                                                                                                     |  | 1056        | 877 |    |    | 1159 | 83 kg<br>0.32 m3<br>4 pcs  | TR1L+TR10+TR99+TR1P      |
| TRA15                                                                                                                                                                                     |  | 1256        | 877 |    |    | 1159 | 87 kg<br>0.332 m3<br>4 pcs | TR1L+TR12+TR99+TR1P      |
| TRA16                                                                                                                                                                                     |  | 1456        | 877 |    |    | 1159 | 89 kg<br>0.344 m3<br>4 pcs | TR1L+TR14+TR99+TR1P      |

| Recargo adicional       |   |  |  |  |  |  |
|-------------------------|---|--|--|--|--|--|
| Bandeja para monitor X1 |   |  |  |  |  |  |
|                         | X |  |  |  |  |  |
|                         | X |  |  |  |  |  |
|                         | X |  |  |  |  |  |




| Referencia   |  | Dimensiones |     |    |    |      | kg m3 pcs                   | Elementos de composición   |
|--------------|--|-------------|-----|----|----|------|-----------------------------|----------------------------|
|              |  | W1          | W2  | D1 | D2 | H    |                             |                            |
| <b>TRA17</b> |  | 1656        | 877 |    |    | 1159 | 103 kg<br>0.425 m3<br>6 pcs | TR1L+2xTR08+TR99+TR1P+NL41 |
| <b>TRA18</b> |  | 2056        | 877 |    |    | 1159 | 117 kg<br>0.449 m3<br>6 pcs | TR1L+2xTR10+TR99+TR1P+NL41 |
| <b>TRA19</b> |  | 2456        | 877 |    |    | 1159 | 125 kg<br>0.473 m3<br>6 pcs | TR1L+2xTR12+TR99+TR1P+NL41 |
| <b>TRA20</b> |  | 2856        | 877 |    |    | 1159 | 129 kg<br>0.498 m3<br>6 pcs | TR1L+2xTR14+TR99+TR1P+NL41 |

| Recargo adicional       |                          |  |  |  |  |  |
|-------------------------|--------------------------|--|--|--|--|--|
| Bandeja para monitor X1 | Bandeja para monitor x 2 |  |  |  |  |  |
|                         |                          |  |  |  |  |  |
| X                       | X                        |  |  |  |  |  |
| X                       | X                        |  |  |  |  |  |
| X                       | X                        |  |  |  |  |  |




| Referencia    |  | Dimensiones |     |    |    |      | kg m3 pcs                   | Elementos de composición |
|---------------|--|-------------|-----|----|----|------|-----------------------------|--------------------------|
|               |  | W1          | W2  | D1 | D2 | H    |                             |                          |
| <b>TRA117</b> |  | 1656        | 820 |    |    | 1090 | 86 kg<br>0.242 m3<br>5 pcs  | TR1L+2xTR08+TR1P+NL41    |
| <b>TRA118</b> |  | 2056        | 820 |    |    | 1090 | 100 kg<br>0.266 m3<br>5 pcs | TR1L+2xTR10+TR1P+NL41    |
| <b>TRA119</b> |  | 2456        | 820 |    |    | 1090 | 108 kg<br>0.29 m3<br>5 pcs  | TR1L+2xTR12+TR1P+NL41    |
| <b>TRA120</b> |  | 2856        | 820 |    |    | 1090 | 112 kg<br>0.314 m3<br>5 pcs | TR1L+2xTR14+TR1P+NL41    |



| Recargo adicional       |                          |  |  |  |  |  |
|-------------------------|--------------------------|--|--|--|--|--|
| Bandeja para monitor X1 | Bandeja para monitor x 2 |  |  |  |  |  |
|                         |                          |  |  |  |  |  |
| X                       | X                        |  |  |  |  |  |
| X                       | X                        |  |  |  |  |  |
| X                       | X                        |  |  |  |  |  |

|  |  |             |     |    |    |      |                           |                            |
|----------------------------------------------------------------------------------|--|-------------|-----|----|----|------|---------------------------|----------------------------|
| Referencia                                                                       |  | Dimensiones |     |    |    |      | kg m3 pcs                 | Elementos de composición   |
|                                                                                  |  | W1          | W2  | D1 | D2 | H    |                           |                            |
| TRA42                                                                            |  | 1640        | 905 |    |    | 1159 | 99 kg<br>0.46 m3<br>8 pcs | TR4L+2xTR90+TR4P+TR99+NL41 |

| Recargo adicional |  |  |  |  |  |  |
|-------------------|--|--|--|--|--|--|
|                   |  |  |  |  |  |  |
|                   |  |  |  |  |  |  |




|  |  |             |     |    |    |      |                              |                                   |
|------------------------------------------------------------------------------------|--|-------------|-----|----|----|------|------------------------------|-----------------------------------|
| Referencia                                                                         |  | Dimensiones |     |    |    |      | kg m3 pcs                    | Elementos de composición          |
|                                                                                    |  | W1          | W2  | D1 | D2 | H    |                              |                                   |
| TRA21                                                                              |  | 2440        | 905 |    |    | 1159 | 126 kg<br>0.577 m3<br>10 pcs | TR4L+2xTR90+TR08+TR4P+TR99+2xNL41 |
| TRA22                                                                              |  | 2640        | 905 |    |    | 1159 | 133 kg<br>0.59 m3<br>10 pcs  | TR4L+2xTR90+TR10+TR4P+TR99+2xNL41 |
| TRA23                                                                              |  | 2840        | 905 |    |    | 1159 | 137 kg<br>0.602 m3<br>10 pcs | TR4L+2xTR90+TR12+TR4P+TR99+2xNL41 |
| TRA24                                                                              |  | 3040        | 905 |    |    | 1159 | 139 kg<br>0.614 m3<br>10 pcs | TR4L+2xTR90+TR14+TR4P+TR99+2xNL41 |

| Recargo adicional       |  |  |  |  |  |  |
|-------------------------|--|--|--|--|--|--|
| Bandeja para monitor X1 |  |  |  |  |  |  |
|                         |  |  |  |  |  |  |
| X                       |  |  |  |  |  |  |
| X                       |  |  |  |  |  |  |
| X                       |  |  |  |  |  |  |




| Referencia    |  | Dimensiones |     |    |    |      | kg m3 pcs                   | Elementos de composición      |
|---------------|--|-------------|-----|----|----|------|-----------------------------|-------------------------------|
|               |  | W1          | W2  | D1 | D2 | H    |                             |                               |
| <b>TRA121</b> |  | 2440        | 848 |    |    | 1090 | 109 kg<br>0.394 m3<br>9 pcs | TR4L+2xTR90+TR08+TR4P +2xNL41 |
| <b>TRA122</b> |  | 2640        | 848 |    |    | 1090 | 116 kg<br>0.406 m3<br>9 pcs | TR4L+2xTR90+TR10+TR4P +2xNL41 |
| <b>TRA123</b> |  | 2840        | 848 |    |    | 1090 | 120 kg<br>0.418 m3<br>9 pcs | TR4L+2xTR90+TR12+TR4P +2xNL41 |
| <b>TRA124</b> |  | 3040        | 848 |    |    | 1090 | 122 kg<br>0.43 m3<br>9 pcs  | TR4L+2xTR90+TR14+TR4P +2xNL41 |

| Recargo adicional       |  |  |  |  |  |  |
|-------------------------|--|--|--|--|--|--|
| Bandeja para monitor X1 |  |  |  |  |  |  |
|                         |  |  |  |  |  |  |
| X                       |  |  |  |  |  |  |
| X                       |  |  |  |  |  |  |
| X                       |  |  |  |  |  |  |




| Referencia   |  | Dimensiones |      |    |    |      | kg m3 pcs                   | Elementos de composición              |
|--------------|--|-------------|------|----|----|------|-----------------------------|---------------------------------------|
|              |  | W1          | W2   | D1 | D2 | H    |                             |                                       |
| <b>TRA25</b> |  | 1648        | 1648 |    |    | 1159 | 141 kg<br>0.586 m3<br>9 pcs | TR1L+TR08+TR90+TR08+TR1P +TR99+2xNL41 |
| <b>TRA26</b> |  | 1848        | 1648 |    |    | 1159 | 148 kg<br>0.598 m3<br>9 pcs | TR1L+TR08+TR90+TR10+TR1P +TR99+2xNL41 |
| <b>TRA27</b> |  | 2048        | 1648 |    |    | 1159 | 152 kg<br>0.611 m3<br>9 pcs | TR1L+TR08+TR90+TR12+TR1P +TR99+2xNL41 |
| <b>TRA28</b> |  | 2248        | 1648 |    |    | 1159 | 154 kg<br>0.623 m3<br>9 pcs | TR1L+TR08+TR90+TR14+TR1P +TR99+2xNL41 |


| Recargo adicional       |  |  |  |  |  |  |
|-------------------------|--|--|--|--|--|--|
| Bandeja para monitor X1 |  |  |  |  |  |  |
|                         |  |  |  |  |  |  |
| X                       |  |  |  |  |  |  |
| X                       |  |  |  |  |  |  |
| X                       |  |  |  |  |  |  |

|  |  |             |      |    |    |      |                              |                                               |
|-----------------------------------------------------------------------------------|--|-------------|------|----|----|------|------------------------------|-----------------------------------------------|
| Referencia                                                                        |  | Dimensiones |      |    |    |      | kg m3 pcs                    | Elementos de composición                      |
|                                                                                   |  | W1          | W2   | D1 | D2 | H    |                              |                                               |
| <b>TRA29</b>                                                                      |  | 3240        | 1705 |    |    | 1159 | 250 kg<br>1.166 m3<br>17 pcs | TR1L+2xTR08+2xTR90+2xTR08 +TR1P+2xTR99+5xNL41 |
| <b>TRA30</b>                                                                      |  | 3640        | 1705 |    |    | 1159 | 264 kg<br>1.19 m3<br>17 pcs  | TR1L+2xTR08+2xTR90+2xTR10+TR1P+2xTR99+5xNL41  |
| <b>TRA31</b>                                                                      |  | 4040        | 1705 |    |    | 1159 | 272 kg<br>1.214 m3<br>17 pcs | TR1L+2xTR08+2xTR90+2xTR12+TR1P+2xTR99+5xNL41  |
| <b>TRA32</b>                                                                      |  | 4440        | 1705 |    |    | 1159 | 276 kg<br>1.239 m3<br>17 pcs | TR1L+2xTR08+2xTR90+2xTR14 +TR1P+2xTR99+5xNL41 |


| Recargo adicional       |                          |  |  |  |  |  |
|-------------------------|--------------------------|--|--|--|--|--|
| Bandeja para monitor X1 | Bandeja para monitor x 2 |  |  |  |  |  |
|                         |                          |  |  |  |  |  |
| X                       | X                        |  |  |  |  |  |
| X                       | X                        |  |  |  |  |  |
| X                       | X                        |  |  |  |  |  |

|  |  |             |      |    |    |      |                              |                                               |
|------------------------------------------------------------------------------------|--|-------------|------|----|----|------|------------------------------|-----------------------------------------------|
| Referencia                                                                         |  | Dimensiones |      |    |    |      | kg m3 pcs                    | Elementos de composición                      |
|                                                                                    |  | W1          | W2   | D1 | D2 | H    |                              |                                               |
| <b>TRA129</b>                                                                      |  | 3354        | 1705 |    |    | 1159 | 267 kg<br>1.349 m3<br>18 pcs | TR1L+2xTR08+2xTR90+2xTR08 +TR1P+3xTR99+5xNL41 |
| <b>TRA130</b>                                                                      |  | 3754        | 1705 |    |    | 1159 | 281 kg<br>1.374 m3<br>18 pcs | TR1L+2xTR08+2xTR90+2xTR10 +TR1P+3xTR99+5xNL41 |
| <b>TRA131</b>                                                                      |  | 4154        | 1705 |    |    | 1159 | 289 kg<br>1.398 m3<br>18 pcs | TR1L+2xTR08+2xTR90+2xTR12 +TR1P+3xTR99+5xNL41 |
| <b>TRA132</b>                                                                      |  | 4554        | 1705 |    |    | 1159 | 293 kg<br>1.422 m3<br>18 pcs | TR1L+2xTR08+2xTR90+2xTR14 +TR1P+3xTR99+5xNL41 |




| Recargo adicional       |                          |  |  |  |  |  |
|-------------------------|--------------------------|--|--|--|--|--|
| Bandeja para monitor X1 | Bandeja para monitor x 2 |  |  |  |  |  |
|                         |                          |  |  |  |  |  |
| X                       | X                        |  |  |  |  |  |
| X                       | X                        |  |  |  |  |  |
| X                       | X                        |  |  |  |  |  |

|  |  |             |      |    |    |      |                              |                                                   |
|-----------------------------------------------------------------------------------|--|-------------|------|----|----|------|------------------------------|---------------------------------------------------|
| Referencia                                                                        |  | Dimensiones |      |    |    |      | kg m3 pcs                    | Elementos de composición                          |
|                                                                                   |  | W1          | W2   | D1 | D2 | H    |                              |                                                   |
| TRA33                                                                             |  | 3056        | 1120 |    |    | 1159 | 169 kg<br>0.793 m3<br>11 pcs | TR1L+TR10+TR2P+TR11+TR2L +TR10+TR1P+2xTR99+2xNL41 |
| TRA34                                                                             |  | 3456        | 1120 |    |    | 1159 | 177 kg<br>0.817 m3<br>11 pcs | TR1L+TR12+TR2P+TR11+TR2L +TR12+TR1P+2xTR99+2xNL41 |
| TRA35                                                                             |  | 3856        | 1120 |    |    | 1159 | 181 kg<br>0.841 m3<br>11 pcs | TR1L+TR14+TR2P+TR11+TR2L +TR14+TR1P+2xTR99+2xNL41 |




| Recargo adicional       |                          |  |  |  |  |  |
|-------------------------|--------------------------|--|--|--|--|--|
| Bandeja para monitor X1 | Bandeja para monitor x 2 |  |  |  |  |  |
| X                       | X                        |  |  |  |  |  |
| X                       | X                        |  |  |  |  |  |
| X                       | X                        |  |  |  |  |  |

|  |  |             |      |    |    |      |                             |                                            |
|------------------------------------------------------------------------------------|--|-------------|------|----|----|------|-----------------------------|--------------------------------------------|
| Referencia                                                                         |  | Dimensiones |      |    |    |      | kg m3 pcs                   | Elementos de composición                   |
|                                                                                    |  | W1          | W2   | D1 | D2 | H    |                             |                                            |
| TRA133                                                                             |  | 3056        | 1120 |    |    | 1090 | 135 kg<br>0.426 m3<br>9 pcs | TR12+TR10+TR2P+TR11+TR2L +TR10+TR1P+2xNL41 |
| TRA134                                                                             |  | 3456        | 1120 |    |    | 1090 | 143 kg<br>0.451 m3<br>9 pcs | TR12+TR12+TR2P+TR11+TR2L +TR12+TR1P+2xNL41 |
| TRA135                                                                             |  | 3856        | 1120 |    |    | 1090 | 147 kg<br>0.475 m3<br>9 pcs | TR12+TR14+TR2P+TR11+TR2L +TR14+TR1P+2xNL41 |




| Recargo adicional       |                          |  |  |  |  |  |
|-------------------------|--------------------------|--|--|--|--|--|
| Bandeja para monitor X1 | Bandeja para monitor x 2 |  |  |  |  |  |
| X                       | X                        |  |  |  |  |  |
| X                       | X                        |  |  |  |  |  |
| X                       | X                        |  |  |  |  |  |

|  <div><div>A</div><div>B</div></div> |        |  |             |      |    |    |      |                               |                                                                                    |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|--|-------------|------|----|----|------|-------------------------------|------------------------------------------------------------------------------------|
| Referencia                                                                                                                                                                                                                                                                               |        |  | Dimensiones |      |    |    |      | kg m3 pcs                     | Elementos de composición                                                           |
| A                                                                                                                                                                                                                                                                                        | B      |  | W1          | W2   | D1 | D2 | H    |                               |                                                                                    |
| TRA36L                                                                                                                                                                                                                                                                                   | TRA36P |  | 2056        | 1120 |    |    | 1159 | 111.5 kg<br>0.467 m3<br>7 pcs | A - TR1L+TR10+TR2P+TR11+TR3P +TR99+NL41<br>B - TR3L+TR11+TR2L+TR10+TR1P +TR99+NL41 |
| TRA37L                                                                                                                                                                                                                                                                                   | TRA37P |  | 2256        | 1120 |    |    | 1159 | 115.5 kg<br>0.479 m3<br>7 pcs | A - TR1L+TR12+TR2P+TR11+TR3P +TR99+NL41<br>B - TR3L+TR11+TR2L+TR12+TR1P +TR99+NL41 |
| TRA38L                                                                                                                                                                                                                                                                                   | TRA38P |  | 2456        | 1120 |    |    | 1159 | 158.5 kg<br>0.587 m3<br>9 pcs | A - TR1L+TR14+TR2P+TR11+TR3P +TR99+NL41<br>B - TR3L+TR11+TR2L+TR14+TR1P +TR99+NL41 |

| Recargo adicional       |   |  |  |  |  |  |
|-------------------------|---|--|--|--|--|--|
| Bandeja para monitor X1 |   |  |  |  |  |  |
|                         | X |  |  |  |  |  |
|                         | X |  |  |  |  |  |
|                         | X |  |  |  |  |  |

|  <div><div>A</div><div>B</div></div> |         |  |             |      |    |    |      |                               |                                                                          |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--|-------------|------|----|----|------|-------------------------------|--------------------------------------------------------------------------|
| Referencia                                                                                                                                                                                                                                                                                |         |  | Dimensiones |      |    |    |      | kg m3 pcs                     | Elementos de composición                                                 |
| A                                                                                                                                                                                                                                                                                         | B       |  | W1          | W2   | D1 | D2 | H    |                               |                                                                          |
| TRA136L                                                                                                                                                                                                                                                                                   | TRA136P |  | 2056        | 1120 |    |    | 1090 | 94.5 kg<br>0.283 m3<br>6 pcs  | A - TR1L+TR10+TR2P+TR11+TR3P +NL41<br>B - TR3L+TR11+TR2L+TR10+TR1P +NL41 |
| TRA137L                                                                                                                                                                                                                                                                                   | TRA137P |  | 2256        | 1120 |    |    | 1090 | 98.5 kg<br>0.295 m3<br>6 pcs  | A - TR1L+TR12+TR2P+TR11+TR3P +NL41<br>B - TR3L+TR11+TR2L+TR12+TR1P +NL41 |
| TRA138L                                                                                                                                                                                                                                                                                   | TRA138P |  | 2456        | 1120 |    |    | 1090 | 100.5 kg<br>0.308 m3<br>6 pcs | A - TR1L+TR14+TR2P+TR11+TR3P +NL41<br>B - TR3L+TR11+TR2L+TR14+TR1P +NL41 |


| Recargo adicional       |   |  |  |  |  |  |
|-------------------------|---|--|--|--|--|--|
| Bandeja para monitor X1 |   |  |  |  |  |  |
|                         | X |  |  |  |  |  |
|                         | X |  |  |  |  |  |
|                         | X |  |  |  |  |  |

| <div><div><div>A</div><div></div></div><div><div>B</div><div></div></div></div> |        |  |             |      |    |    |      |                               |                                                                                          |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|--|-------------|------|----|----|------|-------------------------------|------------------------------------------------------------------------------------------|
| Referencia                                                                                                                                                                                                                                                                                                                          |        |  | Dimensiones |      |    |    |      | kg m3 pcs                     | Elementos de composición                                                                 |
| A                                                                                                                                                                                                                                                                                                                                   | B      |  | W1          | W2   | D1 | D2 | H    |                               |                                                                                          |
| TRA39L                                                                                                                                                                                                                                                                                                                              | TRA39P |  | 3056        | 1120 |    |    | 1159 | 145.5 kg<br>0.596 m3<br>9 pcs | A - TR1L+2xTR10+TR2P+TR11+TR3P+TR99+2xNL41<br>B - TR3L+TR11+TR2L+2xTR10+TR1P+TR99+2xNL41 |
| TRA40L                                                                                                                                                                                                                                                                                                                              | TRA40P |  | 3456        | 1120 |    |    | 1159 | 153.5 kg<br>0.62 m3<br>9 pcs  | A - TR1L+2xTR12+TR2P+TR11+TR3P+TR99+2xNL41<br>B - TR3L+TR11+TR2L+2xTR12+TR1P+TR99+2xNL41 |
| TRA41L                                                                                                                                                                                                                                                                                                                              | TRA41P |  | 3856        | 1120 |    |    | 1159 | 157.5 kg<br>0.645 m3<br>9 pcs | A - TR1L+2xTR14+TR2P+TR11+TR3P+TR99+2xNL41<br>B - TR3L+TR11+TR2L+2xTR14+TR1P+TR99+2xNL41 |

| Recargo adicional       |                          |  |  |  |  |  |
|-------------------------|--------------------------|--|--|--|--|--|
| Bandeja para monitor X1 | Bandeja para monitor x 2 |  |  |  |  |  |
| X                       | X                        |  |  |  |  |  |
| X                       | X                        |  |  |  |  |  |
| X                       | X                        |  |  |  |  |  |

[illegible]

[illegible]

| Pantalla protectora estornudos                                                    |            |  |             |       |        |                          |                                                                                                  |
|-----------------------------------------------------------------------------------|------------|--|-------------|-------|--------|--------------------------|--------------------------------------------------------------------------------------------------|
|                                                                                   | Referencia |  | Dimensiones |       |        | kg m3 pcs                | Comentarios                                                                                      |
|                                                                                   |            |  | Largo       | Prof. | Altura |                          |                                                                                                  |
|  | NPX1       |  | 1000        | 250   | 750    | 3 kg<br>0.01 m3<br>2 pcs | Pantalla protectora estornudos, PET transparente + pies metálicos color: M009 aluminio semi-mate |

| Recargo adicional |  |  |  |  |  |  |  |
|-------------------|--|--|--|--|--|--|--|
|                   |  |  |  |  |  |  |  |
|                   |  |  |  |  |  |  |  |